



# ACADEMY OF DENTAL LEARNING & OSHA TRAINING

## Recognizing Dental Patients who are Victims of Domestic Violence &/or Sex Trafficking

The Academy of Dental Learning and OSHA Training, LLC, designates this activity for 2 continuing education credits (2 CEs).

Megan Wright, RDH, MS

Publication Date: October 2012

Updated Date: September 2016

Expiration Date: October 2019



*The Academy of Dental Learning and OSHA Training, LLC is an ADA CERP Recognized Provider. ADA CERP is a service of the American Dental Association to assist dental professionals in identifying quality providers of continuing dental education. ADA CERP does not approve or endorse individual courses or instructors, nor does it imply acceptance of credit hours by boards of dentistry. Concerns or complaints about a CE provider may be directed to the provider or to the Commission for Continuing Education Provider Recognition at [ADA.org/CERP](http://ADA.org/CERP).*

Conflict of Interest Disclosure: ADL does not accept promotional or commercial funding in association with its courses. In order to promote quality and scientific integrity, ADL's evidence-based course content is developed independent of commercial interests. Refund Policy: If you are dissatisfied with the course for any reason, prior to taking the test and receiving your certificate, return the printed materials within 15 days of purchase and we will refund your full tuition. Shipping charges are nonrefundable.

**Answer Sheet: Recognizing Dental Patients who are Victims of Domestic Violence &/or Sex Trafficking**

1. \_\_\_\_\_ 3. \_\_\_\_\_ 5. \_\_\_\_\_ 7. \_\_\_\_\_ 9. \_\_\_\_\_  
2. \_\_\_\_\_ 4. \_\_\_\_\_ 6. \_\_\_\_\_ 8. \_\_\_\_\_ 10. \_\_\_\_\_

Name: \_\_\_\_\_ Profession: \_\_\_\_\_

License State: \_\_\_\_\_ License Number: \_\_\_\_\_ Expiration Date \_\_\_\_\_

Address \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

E-mail: \_\_\_\_\_

If you have downloaded the course and printed the answer sheet from the Internet please enter payment information below.

Card type: \_\_\_\_\_ Card Number: \_\_\_\_\_

Exp. Date: \_\_\_\_\_ Name as it appears on card: \_\_\_\_\_

**\*To enter your answers online you MUST return to our website [www.dentallearning.org](http://www.dentallearning.org).**

Return answer sheet:

- Via fax: 518.514.1103
- Via email: [CESupport@dentallearning.com](mailto:CESupport@dentallearning.com)
- Postal Mail: ADL, PO Box 14585, Albany, NY 12212

**\*\*\*PLEASE PRINT CLEARLY; ILLEGIBLE ANSWER SHEETS WILL NOT BE PROCESSED.**

Notes:

### Course Evaluation

Please place an X in the box to rate these statements:	Poor	Fair	Good	Very Good	Excellent
The content fulfills the overall purpose of the course.					
The content fulfills each of the course objectives.					
The course subject matter is accurate.					
The material presented is understandable.					
The teaching/learning method is effective.					
The answers to the test questions are appropriately covered in the course.					
How would you rate this course overall?					
Time to complete the entire course and the test?	<b>Hours:</b> _____			<b>Minutes:</b> _____	
	<b>Google</b>				
	<b>Other Search Engine</b>				
	<b>Friend/CoWorker</b>				
	<b>Other</b>				
Do you have any suggestions about how we can improve this course? If so please note them on a separate sheet of paper and send it in with your answer sheet.					
If you studied the course online, did all the links work? If not please note the page and link on a separate sheet of paper and send it in with your answer sheet so we can fix it.					

## Instructions

1. Review the Objectives: Objectives provide an overview of the entire course.
2. Read the course material.
3. Complete the test:
  - a. Return to our website: [www.dentallearning.org](http://www.dentallearning.org), click on Take the Exam, enter your answers, register, if you are new customer (existing customers login), pay for the course, click Grade Test. Your test will be graded immediately. If required, complete the course evaluation. Your certificate will display for you to print.
  - b. If you would rather, you may return your completed answer sheet and course evaluation to us via the options listed below.

To successfully complete the course you must score 80% or above on the test. If you do not score 80% you may retake the test one more time free of charge. If you fail a second time you must purchase a new course and test.

If you've downloaded this coursebook off the Internet you can:

- Return to our website ([www.dentallearning.org](http://www.dentallearning.org)) to take the test online (only if you have not purchased the coursebook separately). You will need to provide credit card information at the time you submit your test online for scoring.
- Write your answers on the one-page answer sheet included in this book, complete the credit card payment information, and return the form to the address below, fax, or email address below. Or, you may send a check or money order to the address below with your answer sheet.

Academy of Dental Learning and OSHA Training, LLC (ADL)

P.O. Box 14585

Albany, NY 12212

Fax: 518-514-1103

Email: [CESupport@dentallearning.org](mailto:CESupport@dentallearning.org)

Answer sheets received without payment will not be processed.

We grade all tests in a timely manner; if you do not receive your certificate within five days, please email ([CESupport@dentallearning.org](mailto:CESupport@dentallearning.org)) or call us: 518-209-9540.

There is no time limit for return of your answer sheet. Completion dates are taken from the envelope postmark or the finish date recorded in the computer when you do an online exam. Tests MUST be completed in the licensing cycle you wish to use the credits.

If you are dissatisfied with the course for any reason, prior to taking the test and receiving your certificate, return the printed materials within 15 days of purchase and we will refund your full tuition. Shipping charges are nonrefundable.

If someone else would like to use this material after you are done, he or she may register with us and take advantage of a “sharing discount”. Courses downloaded from the Internet can be shared at the same tuition rate as currently available on our website. Please call us if you need an extra answer sheet or download one from our website. There is no “sharing discount” for online exams.

The author and ADL have made every effort to include information in this course that is factual and conforms to accepted standards of care. This course is not to be used as a sole reference for treatment decisions. It is your responsibility to understand your legal obligations and license requirements when treating patients. ADL is not responsible for the misuse of information presented in this course. The material in this course cannot be reproduced or transmitted in any way without the written consent of ADL.

## **Table of Contents**

Answer Sheet	2
Evaluation	3
Instructions	4
Table of Contents	6
Objectives	7
Introduction	7
Definition of Domestic Violence	8
How Common is Domestic Violence	9
Symptoms of Domestic Violence in Dentistry	10
How to Identify Domestic Violence in the Dental Practice	14
Hotlines	21
Conclusion	26
References	27
Course Test	29



## Definition of Domestic Violence

In various studies, domestic violence is referred to as Intimate Partner Violence. According to the Centers for Disease Control and Prevention (CDC, 2015), there are four types of domestic violence:

- Physical Violence
- Sexual Violence
- Stalking
- Psychological & Emotional Violence: includes threats of physical or sexual violence

Domestic violence is a major public health problem in the United States and around the world. It is classified as a crime in all fifty states. Domestic violence refers to physical, verbal, psychological, sexual, or economic abuse (withholding money, lying about assets) used to exert power or control over someone or to prevent someone from free choice. According to the U.S. Department of Justice (2016): "This includes any behaviors that intimidate, manipulate, humiliate, isolate, frighten, terrorize, coerce, threaten, blame, hurt, injure, or wound someone." Rape, incest, and dating violence are all considered domestic violence.

Because the term domestic violence tends to overlook male victims as well as violence between same-sex partners, the Centers for Disease Control and Prevention (CDC) prefers the more specific term intimate partner violence (IPV). Some agencies prefer the term domestic abuse, because it makes visible the nonphysical components of an abusive situation including psychological and emotional abuse, threatening and stalking, and neglect or financial exploitation; particularly of older people. Family violence is also used to describe abusive domestic situations, because children in the family are affected either as witnesses of violence or as victims themselves.

Dental professionals see clinical conditions every day which may be related to violence, abuse, or neglect. For example: routine conditions such as untreated decay, facial pain, lesions in the mouth, new and old facial bruises, or facial lacerations may at times be related to domestic violence and related situations. The US Centers for Disease Control and Prevention recently published a Summary of Assessment Instruments (<http://www.cdc.gov/violenceprevention/pdf/ipv/ipvandsvscreening.pdf>) for use in health care settings which may be useful for assessment purposes. The CDC reviews clinical tools available for assessing, charting, and appropriate referral resources regarding domestic violence.

## How Common is Domestic Violence?

### Child Abuse and Neglect

In 2015, according to Child Protective Service agencies, over 2 million cases of child maltreatment are reported each year, and 18% of these reported are categorized as physical abuse. Annually, 1,500 children of the 650,000 children who were maltreated, died from their abuse or neglect. 80% of the fatalities occur in children under 4 years of age. According to the American Academy of Pediatrics, "Regardless of the data source, physical abuse that is identified, reported to CPS, and investigated represents only a small percentage of the abuse that children experience."



### Women and Men

An estimated 1.4 million women and 700,000 men have suffered domestic abuse in the year 2014, according to figures from the Office for National Statistics (ONS, 2014).



More than three-fourths of domestic violence victims are women. A landmark international study of 24,000 women in ten countries found that 1 in 6 women has experienced domestic violence; yet the problem remains mostly hidden. Women who experience domestic violence have more than double the risk of poor health and physical and mental health problems than women who are not abused (WHO 2005). According to Dr Margaret Chan, Director-General, of the World Health Organization

(WHO), “These findings send a powerful message that violence against women is a global health problem of epidemic proportions. We also see that the world’s health systems can and must do more for women who experience violence.”

Women on public assistance reported even higher proportions of IPV as did those who had a recent history of homelessness (Somanti & Shibusawa, 2008). One study found that lifetime prevalence of IPV among older women was more than 26%, more than 18% of women experienced physical or sexual violence, and more than 20% experienced controlling partner behaviors (Bonomi et al., 2007).

## Youth

Violence is disturbingly common among high school students. In the 2007 National Youth Risk Behavior Survey, 10% of students in grades nine through twelve reported having been hurt physically by a boyfriend or girlfriend during the twelve months preceding the survey. Dating violence was more prevalent among African American students than among white or Hispanic students. In another study, nearly 12% of female students reported having been physically forced to have sex against their will (Grunbaum et al., 2004).



According to the CDC (2009), those who harm their dating partners are more depressed and more aggressive than their peers. Other characteristics of abusive dating partners include:

- Poor social skills.
- Inability to manage anger and conflict.
- Belief that using dating violence is acceptable.
- Having more traditional beliefs about gender-related roles.
- Witnessing violence at home or in the community.
- Alcohol use.
- Behavioral problems in other areas.
- Having a friend involved with dating violence.

Physical violence and psychological aggression can extend beyond dating partners and affect same-sex peer relationships. An analysis of students in a high-risk school district in grades seven through twelve found that girls were significantly more likely than boys to report perpetration of physical violence and psychological aggression within dating relationships than boys. However, boys were more likely than girls to report physically injuring a date and also more likely than girls to report physical violence victimization and perpetration within same-sex peer relationships (Swahn et al., 2008).

## **Elders**

Many older adults are becoming dependent on others to meet their basic needs. Estimates vary widely about rates of elder abuse and neglect. However, the National Center on Elder Abuse reported abuse occurs in 3% to 5% of people over 55 years of age. The Senate Special Committee on Aging reported as many as 5 million elderly people are abused each year.



According to one survey, older women are far more likely than older men to suffer from abuse or neglect. In 2003, two out of every three (65.7%) elder abuse victims were women (15 states reporting). Elderly women over age 80 are the most frequent victims of abuse. Lack of social support is a major risk factor for abuse. A study of 600 women ages 50 to 64 found that more than 5% experienced some form of abuse by their partners within the two years prior to the study (NCEA, 2016).

## **Immigrant Community**

Precise statistics are elusive and several factors make it especially difficult for victims in the immigrant community (primarily women) to seek out and obtain help. The abuser may threaten to use the victim's immigration status against her. Language barriers and lack of familiarity with US systems are further barriers. A victim may also fear that reporting violence to the authorities will result in a hostile, insensitive, discriminatory response. In reality, these women's fears may be justified in some areas of the US where mainstream organizations lack multicultural understanding and reflect prejudicial attitudes toward immigrants and refugees (Family Violence Prevention Fund, 2009).

Patriarchal cultural attitudes and victim-blaming also contribute to domestic violence in immigrant and refugee communities just as they do throughout the US. A study of more than 3,400 women found that the prevalence of domestic violence was higher among Latina women than among non-Latina women (20% Latina versus 14% non-Latina for the past five years, and 11% Latina versus 7% non-Latina for the past year). Latina women also reported more physical symptoms and adverse mental health effects than did non-Latina women (Bonomi et al., 2009).

## **Symptoms of Domestic Violence in Dentistry**

According to the Journal of Dental Education, (Volume 73, number 4) “Despite this unique opportunity, a national survey found only 41 percent of dentists responded that they often or always screen for domestic violence only when a patient had signs of trauma to the head or neck.” In the same study, 19 percent stated that they did not screen for domestic violence even when signs of abuse were present, while 87 percent responded that they never screen for signs of domestic violence. Even when individuals in abusive relationships avoid seeking medical attention, dental appointments are often kept. As a result, dentists and allied dental personnel are in an ideal position to identify injuries associated with physical, emotional, and sexual abuse. However, only 6 percent of dentists commonly suspect physical abuse among their patients, compared with 23 percent of physicians and 53 percent of social workers. It is not known what percentage of dental hygienists have suspected or reported physical abuse. Oral health care workers may be less likely than any other health care provider to address DV within their role as health professionals.”

Seventy-five (75%) percent of physical injuries in domestic violence incidents are to the head, neck, and/or mouth. Dental professionals routinely assess the head, neck and mouth areas of their patients and are in a perfect position to identify and treat injuries caused by domestic violence. By assessing for domestic violence and intimate partner violence, in addition to child abuse/neglect and elder abuse/neglect, we can assist our patients in getting help before life-threatening injuries occur. According to a 1998 survey, 9.2 percent of women who sought health care for physical assault by an intimate partner saw a dentist.

Regardless of age, gender, or health status, abuse and neglect are serious issues. The dental team plays an important role in assessing, identifying, recording, and properly referring incidents of abuse and neglect. There are many common symptoms of domestic violence or abuse and neglect. Violence, abuse, or neglect can present in the oral cavity or perioral areas in a variety of ways. Any oral lesion, tooth or soft-tissue injury could be caused by violence. As part of the oral examination and history, dental practitioners may notice facial trauma or a history of facial trauma, including

- Missing or avulsed teeth.
- Unexplained oral trauma.
- Bruises, both old and new.
- Lacerations in the mouth or around the face.
- Neck trauma, including marks or bruises.
- Evidence of trauma or scarring in the perioral area.
- Lesions in the mouth.
- Unexplained orofacial pain.
- Untreated or rampant decay.

Additional clinical signs of domestic violence and trauma detectable in the dental office:

- Bruises
- Bites
- Burns
- Lacerations
- Abrasions
- head injuries
- skeletal injuries are some common forms

Signs and symptoms may include:

- Intraoral bruises from slaps or hits when soft tissues are pressed against hard structures such as teeth and bones.
- Patterned bruises on the neck from attempted strangulation such as thumb bruises, ligature marks, and scratch marks.
- Petechiae: bruising in the face, mouth, or neck caused by attempted strangulation.
- Soft or hard palate bruises or abrasions from implements of penetration (may indicate forced sexual act/s).
- Fractured teeth, nose, mandible, or maxilla. (Signs of healing fractures may be detected in panoramic radiographs.)
- Abscessed teeth (caused by blows to an area of the face or from traumatic tooth fractures).
- Torn frenum (may be the result of assault or forced trauma to the mouth).
- Bite marks.
- Hair loss (from pulling), black eyes, ear bruises, or lacerations to the head.
- Injuries to arms, legs, and hands noted during the dental visit.

(Shanel-Hogan. CDA Foundation, 2004.)



### **Dental Neglect**

Dental neglect may be an indicator of domestic violence. Patients experiencing domestic violence may be restricted by their abuser from seeking help or contact with friends and family members or from seeking dental or medical care. As a result, victims may suffer from lack of medical or dental care. Sometimes dental neglect may indicate larger problems of neglect. Lack of care is critical with regard to facial infections since infection may travel through the body's facial planes toward the heart.

### **Strangulation**

Strangulation is often indicative of a high level of IPV in a relationship that can escalate quickly to death. The dental professional may observe visible injuries to the patient's neck including ligature marks, scratches, abrasions, scrapes, and bruises from assailant's thumb and fingers. Petechiae on the neck, face, eyes, and mouth may be present. Symptomatic voice changes will occur in up to 50 percent of victims. Attempted strangulation with 11– 33 pounds of pressure on the neck for 4-5 minutes can cause brain death. Swelling and swallowing or breathing difficulties could be an indicator of underlying neck injury. It is critical to appreciate that although breathing changes and symptoms may initially appear to be mild, underlying injuries may kill the victim up to 36 or more hours later. Identification, intervention and quick action to refer the patient for medical evaluation and treatment can save a life.

### **How to Identify Domestic Violence in the Dental Practice**

There are three main tools used to identify domestic violence in the dental practice. They are:

- Assessment.
- Charting.
- Referrals.



## Assessment

Domestic violence assessment is as easy as oral cancer assessment. A major focus of dentistry is prevention. Domestic violence assessment can be incorporated into the comprehensive dental examination easily and quickly. Visually scan for signs and symptoms of abuse at the same time as examining the patient for oral cancer. Include assessment questions in the patient's health questionnaire such as "Are you in a relationship in which you have been physically hurt or threatened?" Domestic violence assessment is both diagnostic and therapeutic. Intimate partner violence is a serious health issue that can be life-threatening. Dental professionals can and do help patients by asking about violence, performing a brief safety assessment, documenting abuse in the dental chart, and making referrals to domestic violence experts. Asking the questions and making the referral need not be complicated nor time consuming. The dental professional doesn't have to have a solution for the individual. What patients need is the space and time to talk it over with an empathetic listener who doesn't blame them. The simple act of asking about violence, responding with compassion and validating the patient's experience when the answer is "yes" is a powerful intervention. Our patients trust us and are often willing to answer questions about abuse. Make sure patients with suspected injuries or domestic violence issues have a safe environment in which to discuss issues while staff is taking the patient's medical history. If the dental practitioner suspects a patient's clinical signs may be due to abuse, it may be appropriate to follow up with questions such as:

- “Are you in a relationship with a person who physically hurts or threatens you?”
- “Did someone cause these injuries? Who?”
- “Have you had ever any injuries like this in the past? How often?”

Answers should be noted in the patient chart.

### **Common Assessment Tools for Domestic Violence in Dental Practice**

In 2007, the U.S. Centers for Disease Control and Prevention (CDC) published a comprehensive inventory of currently available assessment instruments for intimate partner violence and sexual violence victims for use in healthcare settings. The document includes information on the characteristics of the various assessments and whether they are appropriate for use with a given population. Various instruments are used to assess domestic violence. These tools are used to help with detailed questions about physical partner or date abuse or other types of physical abuse. These assessments have in common the following characteristics:

- Ask about the violence very directly.
- Ask who did this to the patient.
- Convey to the patient confidentiality and safety.
- Assess any physical, emotional, psychological, and other abusive behaviors.
- Include detailed photographs of the patient.
- Refer to the emergency room, if necessary.
- Ask whether the patient is in a relationship that threatens or harms them.
- Look for behavioral clues, such as evasive behaviors or physical clues, like old injuries or a history of unexplained past injuries.
- Assess the frequency of physical, emotional, or psychological abuse.
- Assess sexual abuse, if any.
- Determine a detailed plan for immediate and follow-up care.

The CDC document also describes whether the assessment is used with men, women, or specific racial or ethnic groups. The document may help dental professionals make appropriate referrals for both victims and perpetrators. The front of the document contains a list of assessment tools and various populations that each tool may be used with. The dental team may want to evaluate these tools and suggestions in conjunction with routine OSHA training. The main goals of the CDC assessment tools document are consistency of documentation and appropriate referral. Interviewing patients about domestic violence is often uncomfortable for the dental team. It is important to remain objective when documenting details of abuse.

## Charting

Documentation is critical regarding possible abuse or neglect. Depending on each state's reporting requirements and the dental practice office policies, specifics for documentation may need to be adapted. However, all practices can start with these pointers for charting adapted from the Family Violence Prevention Fund:

- Document the patient's exact words in response to questions. Be sure to document patient's responses to questions and any nonconsensual activities such as oral trauma or forced oral sexual violence.
- Note the exact location of all current injuries as well as any previous evidence of abuse or neglect. Document the entire head and neck specifying injury locations. For example: chart the interior of the mouth using a clockwise direction and specify the location of injuries. (i.e. At the 3 o'clock position in the mid-buccal area, there is a large purple lesion about 3 cm in size with a focal area of 2 mm in the center that is darker in color.) Use both radiography and photography for recordkeeping. Today, digital photography and radiography are used for diagnosis, referral, and recordkeeping.
- Document the referral and any follow-up for reporting purposes. Put a copy of any reports in the chart.

Documentation is an important part of your chart, records, and mandated report (if your state law requires you to report). Your charts can be important court documents. Keep in mind those objective observations and descriptions, supplemented with narrative descriptions and statements, measurements, drawings and/or photographs will often be evidence enough. The dental chart reflects collected information and data regarding incidents of trauma, routine examinations, and treatments that often include charting of the soft and hard tissues of the head and neck. Periapical radiographs (x-rays) of individual teeth and panoramic radiographs of the head may be available for pre- or post-trauma comparison. If the patient has had restorative or orthodontic treatment, available plaster or stone study models may demonstrate pre-trauma conditions. Intraoral or extraoral photographs may document structures prior to trauma. If trauma is demonstrated inside the mouth, intraoral color photography provides documentation.

## Intervention Programs

There are a number of intervention programs designed for dental professionals for the prevention of domestic violence. The Department of Justice has a free program for dental professionals to use as screening/assessment tools for many types of abuse, including screening for victims of sex trafficking, which can be accessed at the Department of Justice Web Site: <http://ovc.ncjrs.gov/topic.aspx?topicid=89>

Another popular program is the Prevent Abuse and Neglect through the Dental Awareness (PANDA) Program, which came available by way of Dr. Lynn Mouden, DDS, MPH, Chief Dental Officer of the Center for Medicaid and CHIP Services at the Centers for Medicare and Medicaid Services at Washington D.C. metro area. His phone number and email address are: (410-786-4126), [lynn.mouden@cms.hhs.gov](mailto:lynn.mouden@cms.hhs.gov)

## Referrals

Suggested protocols for referring patients and reporting violence may vary from state to state and in some cases by local jurisdiction. Confidentiality and assuring the patient's safety should be maintained at all times. Your state board of dentistry can assist you in getting a copy of your state's domestic violence reporting requirements. Your state's board of dentistry can also inform you of your requirements for reporting violence regarding Medicaid patients and the location of social service agencies in your area. In addition, your local health department may assist you in maintaining a list of local shelters or safe havens for potential victims of domestic violence.

Contact your state dental licensing board and local legal entities to find out what the dental team's obligation is regarding identifying and reporting domestic violence. Keep a current list of local resources and reporting requirements in the office procedure manual that include local emergency response information. Local resources may include:

- Office and hospital personnel with special training.
- Law enforcement (police, lawyers, advocates).
- Shelters (housing, support groups, advocates).
- Local hotlines.
- Child protective services.



Common obligations for reporting suspected violence for many states include the following:

- A detailed report of bruise sites or injuries noted on the chart.
- Pictures of the injury and any history in the form and chart.
- Any evidence of use of an object or manual force.
- History as stated by the patient, in the patient's words if possible.
- Follow-up and course of care.
- Any referral, such as to an emergency room, law enforcement, or social services.

Dental professionals may need to research local and state resources and develop a script to address patients who may be experiencing domestic violence. Another option is to talk to local physicians about domestic violence.

When developing a script based on reporting requirements and restrictions practitioners should consider compassion and confidentiality.



Violence is a serious, even life-threatening situation as is abuse and neglect. Should a dental practitioner believe that violence, abuse, or neglect is a factor in an oral condition, the patient should be encouraged to seek care and a safe haven. There are many community and state resources for supporting victims of domestic violence.

### **Human trafficking**

According to Linda Blackiston, RDH, BS, as an excerpt from her article titled, *Saving a Life: Recognizing the Signs of Human Trafficking, Abuse, and Neglect*:

"Human trafficking is a modern-day form of slavery. Victims of human trafficking are subjected to force, fraud, or coercion, for the purpose of sexual exploitation or forced labor. Victims are young children, teenagers, men, and women. After drug dealing, human trafficking is tied with the illegal arms industry as the second largest criminal industry in the world today, and it is the fastest growing." The US Department of State estimates that approximately 600,000 to 800,000 victims are trafficked internationally

annually. Many victims are brought into the United States from Asia, Central and South America, and Eastern Europe. Most of the victims do not speak or understand English. "Many victims of trafficking are exploited for purposes of commercial sex, including prostitution, stripping, pornography, and live-sex shows. However, trafficking also takes place as labor exploitation, such as domestic servitude, sweatshop factories, or migrant agricultural work. Traffickers use force, fraud, and coercion to compel women, men, and children to engage in these activities."

*Look Beneath the Surface* is part of the *Rescue and Restore* campaign on human trafficking sponsored by the US Department of Health and Human Services. This campaign's intent is to increase the number of identified trafficking victims and to help those victims recover their lives and to live safely in the US. One phase of the campaign begins by educating individuals who may encounter victims but may not recognize them. A goal of *Rescue and Restore* is to educate the healthcare community to look beneath the surface and ask the right questions to recognize that an individual needs help.

## Recognizing the signs

Recognizing the signs that someone has been trafficked could save their life. Some of the clues to look for include:

- Malnutrition.
- Dehydration.
- Poor personal hygiene.
- Sexually transmitted diseases

### Signs of abuse

- Bruising, broken bones, or other signs of untreated medical problems.
- Does not hold his/her own identity or travel documents.
- Is reluctant to speak, always has a "translator" present.
- The "translator" is more concerned about appearance than health (especially in sex trafficking).
- The "translator" offers to pay for all the dental work with cash.
- The "translator" will not leave the victim alone with anyone.
- Someone else controls all the money; victim will have very little or no pocket money.

If you suspect you may have had contact with someone that is a victim of human trafficking, call the National Human Trafficking Resource Center at (888) 373-7888. This hotline is set up to help people determine if they have had contact with a victim. It will also help to locate local resources in the community. For more information on

human trafficking, visit [www.acf.hhs.gov/trafficking](http://www.acf.hhs.gov/trafficking).

## Hotlines

From the National Coalition Against Domestic Violence (<http://ncadv.org/learn-more/resources>):

### **NATIONAL CRISIS ORGANIZATIONS AND ASSISTANCE:**

- The National Domestic Violence Hotline  
1-800-799-7233 (SAFE)  
[www.ndvh.org](http://www.ndvh.org)
- National Dating Abuse Helpline  
1-866-331-9474  
[www.loveisrespect.org](http://www.loveisrespect.org)
- Americans Overseas Domestic Violence Crisis Center  
International Toll-Free (24/7) 1-866-USWOMEN (879-6636)  
[www.866uswomen.org](http://www.866uswomen.org)
- National Child Abuse Hotline/Childhelp  
1-800-4-A-CHILD (1-800-422-4453)  
[www.childhelp.org](http://www.childhelp.org)
- National Sexual Assault Hotline  
1-800-656-4673 (HOPE)  
[www.rainn.org](http://www.rainn.org)
- National Suicide Prevention Lifeline  
1-800-273-8255 (TALK)  
[www.suicidepreventionlifeline.org](http://www.suicidepreventionlifeline.org)
- National Center for Victims of Crime  
1-202-467-8700  
[www.victimsofcrime.org](http://www.victimsofcrime.org)
- National Human Trafficking Resource Center/Polaris Project  
Call: 1-888-373-7888 | Text: HELP to BeFree (233733)  
[www.polarisproject.org](http://www.polarisproject.org)

- National Network for Immigrant and Refugee Rights  
1-510-465-1984  
[www.nnirr.org](http://www.nnirr.org)
- National Coalition for the Homeless  
1-202-737-6444  
[www.nationalhomeless.org](http://www.nationalhomeless.org)
- National Resource Center on Domestic Violence  
1-800-537-2238  
[www.nrcdv.org](http://www.nrcdv.org) and [www.vawnet.org](http://www.vawnet.org)
- Futures Without Violence: The National Health Resource Center on Domestic Violence  
1-888-792-2873  
[www.futureswithoutviolence.org](http://www.futureswithoutviolence.org)
- National Center on Domestic Violence, Trauma & Mental Health  
1-312-726-7020 ext. 2011  
[www.nationalcenterdvtraumamh.org](http://www.nationalcenterdvtraumamh.org)

## **CHILDREN**

- Childhelp USA/National Child Abuse Hotline  
1-800-422-4453  
[www.childhelpusa.org](http://www.childhelpusa.org)
- Children's Defense Fund  
202-628-8787  
[www.childrensdefense.org](http://www.childrensdefense.org)
- Child Welfare League of America  
202-638-2952  
[www.cwla.org](http://www.cwla.org)
- National Council on Juvenile and Family Court Judges  
Child Protection and Custody/Resource Center on Domestic Violence  
1-800-527-3233  
[www.ncjfcj.org](http://www.ncjfcj.org)

- Center for Judicial Excellence  
info@centerforjudicialexcellence.org  
www.centerforjudicialexcellence.org

## **TEENS**

- Love is respect  
Hotline: 1-866-331-9474  
[www.loveisrespect.org](http://www.loveisrespect.org)
- Break the Cycle  
202-824-0707  
[www.breakthecycle.org](http://www.breakthecycle.org)

## **DIFFERENTLY ABLED**

- Domestic Violence Initiative  
(303) 839-5510/ (877) 839-5510  
[www.dviforwomen.org](http://www.dviforwomen.org)
- Deaf Abused Women's Network (DAWN)  
Email: Hotline@deafdawn.org  
VP: 202-559-5366  
[www.deafdawn.org](http://www.deafdawn.org)

## **WOMEN OF COLOR**

- Women of Color Network  
1-800-537-2238  
[www.wocninc.org](http://www.wocninc.org)
- INCITE! Women of Color Against Violence  
incite.natl@gmail.com  
[www.incite-national.org](http://www.incite-national.org)

## **LATINA/LATINO**

- Alianza  
1-505-753-3334  
[www.dvalianza.org](http://www.dvalianza.org)

- Casa de Esperanza  
Linea de crisis 24-horas/24-hour crisis line 1-651-772-1611  
[www.casadeesperanza.org](http://www.casadeesperanza.org)
- National Latin@ Network for Healthy Families and Communities  
1-651-646-5553  
[www.nationallatinonetwork.org](http://www.nationallatinonetwork.org)

## **IMMIGRANT**

- The National Immigrant Women's Advocacy Project  
(202) 274-4457  
<http://www.niwap.org/>

## **INDIGENOUS WOMEN**

- National Indigenous Women's Resource Center  
855-649-7299  
[www.niwrc.org](http://www.niwrc.org)
- Indigenous Women's Network  
1-512-258-3880  
[www.indigenouswomen.org](http://www.indigenouswomen.org)

## **ASIAN/PACIFIC ISLANDER**

- Asian and Pacific Islander Institute on Domestic Violence  
1-415-954-9988  
[www.apiidv.org](http://www.apiidv.org)
- Committee Against Anti-Asian Violence (CAA AV)  
1-212- 473-6485  
[www.caaav.org](http://www.caaav.org)
- Manavi  
1-732-435-1414  
[www.manavi.org](http://www.manavi.org)

## **AFRICAN-AMERICAN**

- Institute on Domestic Violence in the African American Community  
1-877-643-8222  
[www.dvinstitute.org](http://www.dvinstitute.org)

- The Black Church and Domestic Violence Institute  
1-770-909-0715  
[www.bcdvi.org](http://www.bcdvi.org)

## **LESBIAN, BI-SEXUAL, GAY, TRANSGENDER, GENDER NON-CONFORMING**

- The Audre Lorde Project  
1-178-596-0342  
[www.alp.org](http://www.alp.org)
- LAMBDA GLBT Community Services  
1-206-350-4283  
<http://www.qrd.org/qrd/www/orgs/avproject/main.htm>
- National Coalition of Anti-Violence Programs  
1-212-714-1184  
[www.ncavp.org](http://www.ncavp.org)
- National Gay and Lesbian Task Force  
1-202-393-5177  
[www.nglft.org](http://www.nglft.org)
- Northwest Network of Bisexual, Trans, Lesbian & Gay Survivors of Abuse  
1-206-568-7777  
[www.nwnetwork.org](http://www.nwnetwork.org)

## **ABUSE IN LATER LIFE**

- National Clearinghouse on Abuse in Later Life  
1-608-255-0539  
[www.ncall.us](http://www.ncall.us)
- National Center for Elder Abuse  
1-855-500-3537  
<http://www.ncea.aoa.gov/>

## **MEN**

- National Organization for Men Against Sexism (NOMAS)  
1-720-466-3882  
[www.nomas.org](http://www.nomas.org)

- A Call to Men  
1-917-922-6738  
[www.acalltomen.org](http://www.acalltomen.org)
- Men Can Stop Rape  
1-202-265-6530  
[www.mencanstoprape.org](http://www.mencanstoprape.org)
- Men Stopping Violence  
1-866-717-9317  
[www.menstoppingviolence.org](http://www.menstoppingviolence.org)

## LEGAL

- American Bar Association Commission on Domestic Violence  
1-202-662-1000  
[www.abanet.org/domviol](http://www.abanet.org/domviol)
- Battered Women's Justice Project  
1-800-903-0111  
[www.bwjp.org](http://www.bwjp.org)
- Legal Momentum  
1-212-925-6635  
[www.legalmomentum.org](http://www.legalmomentum.org)
- Womenslaw.org  
[www.womenslaw.org](http://www.womenslaw.org)
- National Clearinghouse for the Defense of Battered Women  
1-800-903-0111 x 3  
[www.ncdbw.org](http://www.ncdbw.org)

## Conclusion

As healthcare providers in a fast-changing society, dental professionals find themselves dealing with an epidemic level of violence in daily life, ever-changing. Dental team members can make a critical difference in the progress toward ending this costly, destructive epidemic and halting the transgression of violence from generation to generation. By being alert to the possibility of domestic abuse and/or sex trafficking in patients of every age, socio-economic group, and race, more victims of abuse can

be identified, assessed, treated, protected, and assisted in resolving their situation.

## References

Basile, Kathleen C. PhD; Hertz, Marci F. MS; Back, Sudie E. PhD *Assessment. CDA instruments for use in healthcare settings*. Version 1.0. (2007).

Blackiston, Linda, RDH, BS. *Saving a Life: Recognizing the signs of human trafficking, abuse, and neglect* RDH Magazine, Volume 31, Issue 1. Retrieved September 2016 from <http://www.rdhmag.com/articles/print/volume-31/issue-1/features/saving-a-life.html>

Centers for Disease Control and Prevention (CDC). (2016). Injury Prevention & Control: Division of Violence Prevention: Intimate Partner Violence: Definitions. Retrieved September 2016 from <http://www.cdc.gov/violenceprevention/intimatepartnerviolence/definitions.html>

Christian, Cindy W. MD, FAAP, Committee on Child Abuse and Neglect. *The Evaluation of Suspected Child Physical Abuse*: PEDIATRICS Volume 135, number 5, May 2015. American Academy of Pediatrics Abstract. Retrieved September 2016 from <http://pediatrics.aappublications.org/content/pediatrics/early/2015/04/21/peds.2015-0356.full.pdf>

National Center on Elder Abuse. Research, Statistics/Data retrieved September 2016 from <https://ncea.acl.gov/whatwedo/research/statistics.html>

Nelms, Amy P. RDH, 8SDH, MSDH; Gutmann, Marylou E. RDH, 8SD.H, MA; Solomon, Eric S. DDS, M.A; DeWald, Janice P. DDS, MS; Campbell, Patricia R. RDH, MS (April 2009). *What Victims of Domestic Violence Need from the Dental Profession*. Journal of Dental Education, Volume 73 (Number 4). Retrieved September 2016 from [https://www.ihs.gov/doh/portal/feature/domesticviolencefeature\\_files/whatvictimsneed.pdf](https://www.ihs.gov/doh/portal/feature/domesticviolencefeature_files/whatvictimsneed.pdf)

Saltzman L.E., Fanslow J.L. & McMahon P.M., et al. (2002). Intimate partner violence surveillance: Uniform definitions and recommended data elements. Atlanta: CDC, National Center for Injury Prevention and Control. Retrieved August 2016 from <http://www.cdc.gov/ncipc/factsheets/ipvoverview.htm>.

Shanel-Hogan K.A.(2004) Dental professionals Against Violence. California Dental Association Foundation, Inc. Retrieved August 2016 from [http://www.ncdsv.org/publications\\_healthcare.html](http://www.ncdsv.org/publications_healthcare.html).

US Centers for Disease Control and Prevention, National Center for Injury Prevention and Control, Atlanta, Georgia: 2007. Retrieved September 2016 from <https://www.cdc.gov/violenceprevention/pdf/ipv/ipvandsvscreening.pdf>

The United States Department of Justice (2016). Domestic Violence Definition. Retrieved September 2016 from <http://www.justice.gov/ovw/domestic-violence>

The World Health Organization. (2013). *Violence Against Women: a Global Health Problem of Epidemic Proportions*, New clinical and policy guidelines launched to guide health sector response [Press release]. Retrieved September 2016 from [http://www.who.int/mediacentre/news/releases/2013/violence\\_against\\_women\\_20130620/en/](http://www.who.int/mediacentre/news/releases/2013/violence_against_women_20130620/en/)

## Course Test

**\*If you have downloaded the course off the Internet and wish to submit your test online you must return to our website ([www.dentallearning.org](http://www.dentallearning.org)) to do so.**

1. Another term for domestic violence that includes same sex partners is:
  - A. Sexual violence
  - B. Intimate partner violence
  - C. Psychological abuse
  - D. All of the above
  
2. The definition of domestic violence includes:
  - A. Physical violence
  - B. Sexual violence
  - C. Threats of physical or sexual violence
  - D. Psychological and emotional violence e
  - E. All of the above
  
3. Common occurrences seen in detecting human trafficking victims in a dental office are:
  - A. The "translator" is more concerned about appearance than health (especially in sex trafficking)
  - B. The "translator" offers to pay for all the dental work with cash
  - C. The "translator" will not leave the victim alone with anyone
  - D. All of the above
  
4. Some signs of domestic violence dental professionals may see in patients are:
  - A. Missing or avulsed teeth
  - B. Unexplained oral trauma
  - C. Bruises, both old and new
  - D. All of the above
  
5. Identifying victims of abuse in the dental practice includes:
  - A. Assessment
  - B. Charting
  - C. Both A and B
  - D. None of the above

6. In the dental practice, documentation is critical with patients who may be victims of domestic violence. It is not important to document the patient's own words.
  - A. True
  - B. False
  
7. Resources for victims of domestic violence include:
  - A. Hospitals
  - B. Police departments
  - C. Shelters (housing, support groups, advocates)
  - D. All of the above
  
8. Seventy-five (75%) percent of physical injuries in domestic violence incidents are to the head, neck, and/or mouth.
  - A. True
  - B. False
  
9. Examples of employees required to report suspected abuse are:
  - A. State, county, or municipal criminal justice employees or law enforcement officers
  - B. Teachers
  - C. Both a and b
  
10. Batterer's intervention programs are designed for victims of abuse.
  - A. True
  - B. False